

Stock Number: 3212036 **Revision Date:** 08-02-2018 **Replaces:** 02-12-2018

TECTYL® 435D

1. Identification

Product identifier used on the label: TECTYL® 435D **Stock Number:** 3212036

Other means of identification:

Synonyms: None **Chemical family:** Mixture

Recommended use of the chemical and restrictions on use:

Recommended use: **Corrosion Preventive Compound**

Restrictions on use: Uses other than those described above

Name, address, and telephone number

of the chemical manufacturer,

importer, or other responsible party:

Daubert Chemical Company

4700 S. Central Avenue

Chicago, IL 60638

Telephone number: 708-496-7350 E-mail address: SDS@Daubert.com

Emergency phone number: Chemtrec: (800) 424-9300

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Classification: Not classified as hazardous in accordance with paragraph (d) of

§1910.1200

Not hazardous under OSHA regulations. **Hazard Statements:**

Unclassified Hazards (HNOC):: Molten material can cause thermal burns. When heated, the

vapors/fumes given off may cause respiratory tract irritation.

Hazards not otherwise classified: No data available

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS#	%
No Hazardous Ingredients			

Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Product identifier used on the label: TECTYL® 435D

Stock Number: 3212036 **Revision Date:** 08-02-2018 Replaces: 02-12-2018

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation: If symptoms are experienced remove source of contamination or move

victim to fresh air and obtain medical advice.

Flush eyes with plenty of water for at least 20 minutes retracting eyelids **Eye Contact:**

often. Tilt the head to prevent chemical from transferring to the

uncontaminated eye. Get immediate medical attention.

Skin Contact: Wash with soap and water. Remove contaminated clothing and launder.

> Get medical attention if irritation develops or persists. If burned by contact with hot material, molten material adhering to skin should be cooled as quickly as possible with water and see a physician for removal

of adhering material and treatment of burn.

Ingestion: Do not induce vomiting. Seek medical attention immediately. Provide

medical care provider with this SDS.

Most important symptoms/effects,

acute and delayed:

See Section 11

Indication of immediate medical attention and special treatment

needed, if necessary:

Consult a physician. Treat symptomatically.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish

flames.

Unsuitable extinguishing media: No data available

Specific hazards arising from the

chemical:

Material may be ignited only if preheated to temperatures above the

high flash point, for example in a fire.

Oxides of carbon, Hydrocarbons, Sulfur oxides **Hazardous combustion products:**

Special protective equipment and

precautions for fire-fighters:

Do not enter fire area without proper protection including self- contained

breathing apparatus and full protective equipment.

Product identifier used on the label: TECTYL® 435D

Stock Number: 3212036 **Revision Date:** 08-02-2018 **Replaces:** 02-12-2018

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Methods and materials for containment and cleaning up:

Collect and discard in accordance with local, state and national regulations.

7. Handling and storage

Precautions for safe handling: Avoid contacting and avoid breathing the material. Use only in a well

ventilated area. When heated, the vapor/fumes given off may cause respiratory tract irritation. No special handling instructions due to

toxicity. Avoid contact with molten material.

Conditions for safe storage, including

any incompatibilities:

Safe storage conditions: Store in a cool dry ventilated location. Isolate from incompatible

materials and conditions. Keep container(s) closed. Do not store in direct

sunlight

Materials to Avoid/Chemical

Incompatibility:

Strong oxidizing agents, Strong acids

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
No data available				

Appropriate engineering controls:

Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.

Product identifier used on the label: TECTYL® 435D

Stock Number: 3212036 Revision Date: 08-02-2018 Replaces: 02-12-2018

Individual protection measures, such as personal protective equipment:

Respiratory Protection: Proper ventilation (at a minimum) will be required when handling this

product. Use respirators (NIOSH approved) only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable

levels.

Respirator Type(s): NIOSH approved air purifying respirator with organic vapor cartridge.

Eye protection: Wear chemical splash goggles when handling this product. Additionally,

wear a face shield when the possibility of splashing of liquid exists. Do

not wear contact lenses. Have an eye wash station available.

Skin protection: Wear protective gloves. Inspect gloves for chemical break-through and

replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. When handling material that has been heated, wear chemically resistant thermally insulating gloves, chemical resistant apron, long sleeves and other clothing as necessary to protect

against thermal burns.

Gloves: Heat insulating chemically resistant gloves

Other protective equipment: Wear chemical splash goggles when handling this product. Additionally,

wear a face shield when the possibility of splashing of liquid exists. Do

not wear contact lenses. Have an eye wash station available.

Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating,

drinking, and when leaving work.

When handling material that has been heated, wear chemically resistant thermally insulating gloves, chemical resistant apron, long sleeves and

other clothing as necessary to protect against thermal burns.

General hygiene conditions: When heated, the vapor/fumes given off may cause respiratory tract

irritation.

Product identifier used on the label: TECTYL® 435D

Stock Number: 3212036 **Revision Date:** 08-02-2018 **Replaces:** 02-12-2018

9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state: Waxy Solid
Color: Amber

Odor: Petroleum Type

Slight

Odor Threshold: No data available pH: No data available

Melting point/freezing point (°C):

Melting Point (°C): No data available Freezing point (°C): No data available Initial boiling point and boiling range (°C): No data available Flash Point: $> 430 \, ^{\circ}\text{F}(221 \, ^{\circ}\text{C})$

Evaporation Rate: >1 (n-Butyl Acetate=1)

Flammability (solid, gas): No data available

Upper/lower flammability or explosive

limits:

Upper flammability or explosive limits: No data available
Lower flammability or explosive limits: No data available
Vapor pressure: < 1 mmHg @ 20°C

Vapor density: >1 (Air=1)
Relative density: 0.901

Solubility(ies):

Partition coefficient: n-octanol/water:

Auto-ignition temperature (°C):

No data available

No data available

No data available

Viscosity:

No data available

Volatiles, % by weight: 0.0
VOC, Material, lb/gal 0
VOC, Material, grams/liter 0
VOC minus exempt solvents & water, g/l 0

Product identifier used on the label: TECTYL® 435D

Stock Number: 3212036 **Revision Date:** 08-02-2018 **Replaces:** 02-12-2018

10. Stability and reactivity

Reactivity:Not expected to be reactive

Chemical stability: Hazardous polymerization will not occur.

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not

occur.

Conditions to avoid (e.g., staticTemperatures above the high flash point of this combustible material in

discharge, shock, or vibration): combination with sparks, open flames, or other sources of ignition.

Contamination.

Incompatible materials: Strong oxidizing agents, Strong acids

Hazardous decomposition products: Under normal conditions of use & storage, decomposition and hazardous

decomposition products are unlikely.

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin

and eye contact):

Eye contact, Skin contact, Inhalation

Symptoms related to the physical,

chemical and toxicological

characteristics:

No data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion Toxicity: Harmful if swallowed. Estimated to be 2.0 - 5.0 g/kg; slightly toxic

Skin Contact: Can cause moderate skin irritation, defatting, and dermatitis. Not likely to

cause permanent damage.

Inhalation Toxicity:No data available

Eye Contact: Can cause moderate irritation, tearing and reddening, but not likely to

permanently injure eye tissue.

Sensitization: None known

Mutagenicity: No data

Reproductive and Developmental

No data available

Toxicity:

Carcinogenicity: There are no carcinogenic ingredients present at or over 0.1%.

Product identifier used on the label: TECTYL® 435D

Stock Number: 3212036 **Revision Date:** 08-02-2018 Replaces: 02-12-2018

STOT-single exposure: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. **STOT-repeated exposure: Aspiration hazard:** Based on available data, the classification criteria are not met.

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
No data available			

Is the hazardous chemical listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has it been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA?:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
There are no components			
that are known or reported			
to cause cancer			

12. Ecological information

Ecotoxicity (aquatic and terrestrial,

No data available

where available):

Ecological Toxicity Data:

Chemical Name	CAS#	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available				

Persistence and degradability: No data

Bioaccumulative potential: No data available

Mobility in soil: No data available

Other adverse effects (such as hazardous to the ozone layer):

No data available

Product identifier used on the label: TECTYL® 435D

Stock Number: 3212036 **Revision Date:** 08-02-2018 **Replaces:** 02-12-2018

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging:

No data available

Dispose of in accordance with Local and National regulations.

packaging.

Waste codes / waste designations: Not applicable

14. Transport information

Domestic Ground in containers <= 119 GL Corrosion preventive/Non-Hazardous

Domestic Ground in containers > 119 GL Corrosion preventive/Non-Hazardous

Shipping name for Export, Air (IATA) Corrosion preventive/Non-Hazardous

Shipping name for Export, Sea (IMDG) Corrosion preventive/Non-Hazardous

Marine Pollutant? No

15. Regulatory information

Status of formula components on selected national regulatory inventories:

LIST	STATUS
TSCA	All components in this product are on the TSCA Inventory or exempt.
Canadian DSL	All chemical substances in this material are included on or exempted from listing

on the Canadian DSL.

Product identifier used on the label: TECTYL® 435D

Stock Number: 3212036 Revision Date: 08-02-2018 Replaces: 02-12-2018

Chemical Name CAS # Regulation Percent

Contains no components from Prop. 65 - Cancer

California Prop. 65 - Cancer list

Contains no components from Prop. 65 -

California Prop. 65 - Developmental and/or

Developmental/Reproductive list Reproductive

No CERCLA-listed chemicals in this CERCLA

product.

No 313-listed chemicals in this SARA 313

product.

No SARA 302 EHS-listed chemicals SARA EHS

in this product.

16. Other information, including date of preparation or last revision.

SDS Prepared by: DAUBERT\HALINSKI

Revision Date: 08-02-2018

Revision Number: 31

Reason for revision: Reviewed

Approved: M. Duncan

Disclaimer: Although the information contained herein is believed to be reliable, it is

furnished without warranty of any kind. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, and

storage.