

Safety Data Sheet

DAUBERT
CHEMICAL COMPANY, INC.

Stock Number: 3213036
Revision Date: 11-20-2018
Replaces: 11-09-2018

TECTYL® 437D

1. Identification

Product identifier used on the label: **TECTYL® 437D**
Stock Number: 3213036

Other means of identification:
Synonyms: None
Chemical family: Mixture

Recommended use of the chemical and restrictions on use:
Recommended use: Corrosion Preventive Compound
Restrictions on use: Uses other than those described above

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party: Daubert Chemical Company
4700 S. Central Avenue
Chicago, IL 60638

Telephone number: 708-496-7350
E-mail address: SDS@Daubert.com
Emergency phone number: Chemtrec: (800) 424-9300

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200:

GHS Hazard
Symbols:



GHS Classification: Skin Sensitization Category 1; Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 2; Hazardous to the aquatic environment - Acute Category 3; Hazardous to the aquatic environment - Chronic Category 3

Signal Word: Warning

Hazard Statements: May cause an allergic skin reaction
May cause damage to organs through prolonged or repeated exposure
Harmful to aquatic life
Harmful to aquatic life with long lasting effects

Unclassified Hazards (HNOC):: Molten material can cause thermal burns. When heated, the vapors/fumes given off may cause respiratory tract irritation.

Safety Data Sheet

Product identifier used on the label: TECTYL® 437D

Stock Number: 3213036

Revision Date: 11-20-2018

Replaces: 11-09-2018

Precautionary Statements:

Prevention:

Do not breathe dust/fume/gas/mist/vapors/spray.

Contaminated work clothing must not be allowed out of the workplace.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

Response:

If on skin: Wash with plenty of water.

Get medical advice/attention if you feel unwell.

Specific treatment: see Section 4 on SDS.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Disposal:

Dispose of contents/container to a suitable disposal site in accordance with local/national/international regulations.

Hazards not otherwise classified:

No data available

3. Composition/information on ingredients

Chemical Name	Common name and synonyms	CAS #	%
Phenyl-alpha-naphthylamine	None	90-30-2	0.5 - 1.5

Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

Inhalation:

If symptoms are experienced remove source of contamination or move victim to fresh air and obtain medical advice.

Eye Contact:

Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.

Safety Data Sheet

Product identifier used on the label: TECTYL® 437D

Stock Number: 3213036

Revision Date: 11-20-2018

Replaces: 11-09-2018

Skin Contact:	Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists. If burned by contact with hot material, molten material adhering to skin should be cooled as quickly as possible with water and see a physician for removal of adhering material and treatment of burn.
Ingestion:	Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with this SDS.
Most important symptoms/effects, acute and delayed:	May cause an allergic skin reaction May cause damage to organs through prolonged or repeated exposure
Indication of immediate medical attention and special treatment needed, if necessary:	Consult a physician. Treat symptomatically.

5. Fire-fighting measures

Suitable (and unsuitable) extinguishing media:

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire.

Unsuitable extinguishing media: No data available

Specific hazards arising from the chemical: Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.

Hazardous combustion products: Oxides of carbon, Oxides of nitrogen, Hydrocarbons, Sulfur oxides

Special protective equipment and precautions for fire-fighters: Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill.

Methods and materials for containment and cleaning up: Collect and discard in accordance with local, state and national regulations.

Safety Data Sheet

Product identifier used on the label: TECTYL® 437D

Stock Number: 3213036

Revision Date: 11-20-2018

Replaces: 11-09-2018

7. Handling and storage

Precautions for safe handling:

Avoid contacting and avoid breathing the material. Use only in a well ventilated area. When heated, the vapor/fumes given off may cause respiratory tract irritation. Do not get in eyes, on skin and clothing. Wash thoroughly after handling. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with molten material.

Conditions for safe storage, including any incompatibilities:

Safe storage conditions:

Store in a cool dry ventilated location. Isolate from incompatible materials and conditions. Keep container(s) closed. Do not store in direct sunlight

Materials to Avoid/Chemical Incompatibility:

Strong oxidizing agents, Strong acids

8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

Chemical component	OSHA PEL	ACGIH TLV	ACGIH STEL	IDLH
No data available				

Appropriate engineering controls:

Local exhaust ventilation or other engineering controls are normally required when handling or using this product to avoid overexposure.

Individual protection measures, such as personal protective equipment:

Respiratory Protection:

Proper ventilation (at a minimum) will be required when handling this product. Use respirators (NIOSH approved) only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels.

Respirator Type(s):

NIOSH approved air purifying respirator with organic vapor cartridge.

Eye protection:

Wear chemical splash goggles when handling this product. Additionally, wear a face shield when the possibility of splashing of liquid exists. Do not wear contact lenses. Have an eye wash station available.

Safety Data Sheet

Product identifier used on the label: TECTYL® 437D

Stock Number: 3213036

Revision Date: 11-20-2018

Replaces: 11-09-2018

Skin protection:	Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. When handling material that has been heated, wear chemically resistant thermally insulating gloves, chemical resistant apron, long sleeves and other clothing as necessary to protect against thermal burns.
Gloves:	Heat insulating chemically resistant gloves
Other protective equipment:	<p>Wear chemical splash goggles when handling this product. Additionally, wear a face shield when the possibility of splashing of liquid exists. Do not wear contact lenses. Have an eye wash station available.</p> <p>Wear protective gloves. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work.</p> <p>When handling material that has been heated, wear chemically resistant thermally insulating gloves, chemical resistant apron, long sleeves and other clothing as necessary to protect against thermal burns.</p>
General hygiene conditions:	When heated, the vapor/fumes given off may cause respiratory tract irritation. Do not get in eyes, on skin and clothing. Wash thoroughly after handling. As with all chemicals, good industrial hygiene practices should be followed when handling this material.

9. Physical and chemical properties

Appearance (physical state, color etc.):

Physical state:	Waxy Solid
Color:	Amber
Odor:	Petroleum Type
	Slight
Odor Threshold:	No data available
pH:	No data available
Melting point/freezing point (°C):	
Melting Point (°C):	No data available
Freezing point (°C):	No data available
Initial boiling point and boiling range (°C):	No data available

Safety Data Sheet

Product identifier used on the label: TECTYL® 437D

Stock Number: 3213036

Revision Date: 11-20-2018

Replaces: 11-09-2018

Flash Point:	350 °F(177 °C)
Evaporation Rate:	>1 (n-Butyl Acetate=1)
Flammability (solid, gas):	No data available
Upper/lower flammability or explosive limits:	
Upper flammability or explosive limits:	No data available
Lower flammability or explosive limits:	No data available
Vapor pressure:	< 1 mmHg @ 20°C
Vapor density:	>1 (Air=1)
Relative density:	0.92
Solubility(ies):	Negligible; 0-1%
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature (°C):	No data available
Decomposition Temperature (°C):	No data available
Viscosity:	> 1500 cSt @ 40°C
Volatiles, % by weight:	0.05
VOC, Material, lb/gal	0
VOC, Material, grams/liter	0.0
VOC minus exempt solvents & water, g/l	0

10. Stability and reactivity

Reactivity:	Not expected to be reactive
Chemical stability:	Hazardous polymerization will not occur.
Possibility of hazardous reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid (e.g., static discharge, shock, or vibration):	Temperatures above the high flash point of this combustible material in combination with sparks, open flames, or other sources of ignition.
Incompatible materials:	Strong oxidizing agents, Strong acids
Hazardous decomposition products:	Under normal conditions of use & storage, decomposition and hazardous decomposition products are unlikely.

Safety Data Sheet

Product identifier used on the label: TECTYL® 437D

Stock Number: 3213036

Revision Date: 11-20-2018

Replaces: 11-09-2018

11. Toxicological information

Description of the various toxicological (health) effects and the available data used to identify those effects:

Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):

Eye contact, Skin contact, Inhalation

Symptoms related to the physical, chemical and toxicological characteristics:

May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure

Delayed and immediate effects and also chronic effects from short- and long-term exposure:

Ingestion Toxicity:

Harmful if swallowed. Estimated to be 2.0 - 5.0 g/kg; slightly toxic

Skin Contact:

May cause sensitization. May cause skin irritation. Allergic reactions are possible.

Inhalation Toxicity:

No data available

Eye Contact:

Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue.

Sensitization:

May cause an allergic skin reaction

Mutagenicity:

No data

Reproductive and Developmental Toxicity:

No data available

Carcinogenicity:

There are no carcinogenic ingredients present at or over 0.1%.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Classification has been based on toxicological information of the components in Section 3.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Numerical measures of toxicity (such as acute toxicity estimates):

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Phenyl-alpha-naphthylamine	Oral LD50 Rat 1625 mg/kg		

Safety Data Sheet

Product identifier used on the label: TECTYL® 437D

Stock Number: 3213036

Revision Date: 11-20-2018

Replaces: 11-09-2018

Is the hazardous chemical listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has it been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA?:

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen.			

12. Ecological information

Ecotoxicity (aquatic and terrestrial, where available): No data available

Ecological Toxicity Data:

Chemical Name	CAS #	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Phenyl-alpha-naphthylamine	90-30-2	LC50(48HR) WATER FLEA 0.68 mg/L	No data available	LC50(96 HR) BLUEGILL SUNFISH 0.82 mg/L

Persistence and degradability: No data

Bioaccumulative potential: No data available

Mobility in soil: No data available

Other adverse effects (such as hazardous to the ozone layer): No data available

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging: Spent or discarded material is non-hazardous according to environmental regulations.

Dispose of in accordance with Local and National regulations.

Waste codes / waste designations: Not applicable

Safety Data Sheet

Product identifier used on the label: TECTYL® 437D

Stock Number: 3213036

Revision Date: 11-20-2018

Replaces: 11-09-2018

14. Transport information

Domestic Ground in containers <= 119 GL Corrosion preventive/Non-Hazardous

Domestic Ground in containers > 119 GL Corrosion preventive/Non-Hazardous

Shipping name for Export, Air (IATA) Corrosion preventive/Non-Hazardous

Shipping name for Export, Sea (IMDG) Corrosion preventive/Non-Hazardous

Marine Pollutant? No

15. Regulatory information

Status of formula components on selected national regulatory inventories:

LIST	STATUS
TSCA	All components in this product are on the TSCA Inventory or exempt.
Canadian DSL	All chemical substances in this material are included on or exempted from listing on the Canadian DSL.

Chemical Name	CAS #	Regulation	Percent
Contains no components from California Prop. 65 - Cancer list		Prop. 65 - Cancer	
Toluene	108-88-3	Prop. 65 - Developmental and/or Reproductive	TRACE
No CERCLA-listed chemicals in this product.		CERCLA	

Safety Data Sheet

Product identifier used on the label: TECTYL® 437D

Stock Number: 3213036

Revision Date: 11-20-2018

Replaces: 11-09-2018

No 313-listed chemicals in this product. SARA 313

No SARA 302 EHS-listed chemicals in this product. SARA EHS

16. Other information, including date of preparation or last revision.

SDS Prepared by: DAUBERT\HALINSKI

Revision Date: 11-20-2018

Revision Number: 31

Reason for revision: Reviewed
Approved: M. Duncan

Disclaimer: Although the information contained herein is believed to be reliable, it is furnished without warranty of any kind. This information is not intended to be all-inclusive as to the manner and conditions of use, handling, and storage.