

ROYCO 64 MIL-G-21164

Version: 1.8 Revision Date: 07/11/2018 Print Date: 04/02/2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: ROYCO 64 MIL-G-21164

MOLYBDENUM DISULFIDE GREASE

Product Use Description: Lubricants and lubricant additives

Synonyms: Synthetic Lubricant Formulation

Company: <u>Manufacturer</u>

Anderol Specialty Lubricants, a division of Lanxess Solutions US Inc.

215 Merry Lane East Hanover, NJ

07936

United States of America (USA)

Telephone: +1 203-573-4596, Toll Free: +1 888-263-3765

Emergency telephone

number:

CHEMTREC: (24 hours) 800-424-9300

:

For additional emergency telephone numbers see section 16 of the Safety

Data Sheet.

Prepared by Product Safety Department

(US) +1 866-430-2775

MSDSRequest@lanxess.com

Recommended use of the chemical and restrictions on use

Recommended use : Lubricants and lubricant additives

Restrictions on use : Reserved for industrial and professional use.

SECTION 2. HAZARDS IDENTIFICATION

Form	viscous liquid
Colour	dark grey
Odour	mild oily

GHS Classification

Not a hazardous substance or mixture.

GHS label elements



ROYCO 64 MIL-G-21164

Version: 1.8 Revision Date: 07/11/2018 Print Date: 04/02/2020

Other hazards : None

Not a hazardous substance or mixture.

Self-ignitable : No data available

Carcinogenicity:

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHANo component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
lithium 12-hydroxystearate	7620-77-1	>= 10 - < 20 %
molybdenum disulphide	1317-33-5	>= 5 - < 10 %
NJTS-46728100000-0001		>= 1 - < 2.5 %

SECTION 4. FIRST AID MEASURES

If inhaled : Remove to fresh air.

Aspiration may cause pulmonary oedema and pneumonitis.

If breathing is difficult, give oxygen. If symptoms persist, call a physician.

In case of skin contact : Wash off with warm water and soap.

If skin irritation persists, call a physician.

Cool skin rapidly with cold water after contact with molten

material.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Get medical attention immediately.

If swallowed : Do NOT induce vomiting.

Obtain medical attention.

Never give anything by mouth to an unconscious person.

Most important symptoms : None known.

SAP 6.0 SDS 2012-2 NA GHS 2 / 12 SDS Number: 400000001785



ROYCO 64 MIL-G-21164

Version: 1.8 Revision Date: 07/11/2018 Print Date: 04/02/2020

and effects, both acute and

delayed

Notes to physician : For specialist advice physicians should contact the Poisons

Information Service.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : (on small fires)

Carbon dioxide (CO2)

Dry chemical Dry sand

Extinguishing media - large fires

Water mist Foam

Unsuitable extinguishing

media

: Water spray jet

Specific hazards during

firefighting

: Burning produces irritant fumes.

Exposure to decomposition products may be a hazard to

health.

Specific extinguishing

methods

: Cool containers/tanks with water spray.

Special protective equipment

for firefighters

: Self-contained breathing apparatus with full face-piece

operated in positive pressure mode.

Body covering protective clothing, full "turn-out" gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Wear suitable protective equipment.

: Should not be released into the environment. Environmental precautions

Do not flush into surface water or sanitary sewer system.

Methods and materials for

: Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Pick up and containment and cleaning up

transfer to properly labelled containers.

SECTION 7. HANDLING AND STORAGE

3 / 12 SAP 6.0 SDS 2012-2 NA GHS SDS Number: 40000001785



ROYCO 64 MIL-G-21164

Version: 1.8 Revision Date: 07/11/2018 Print Date: 04/02/2020

Advice on safe handling : Handle in accordance with good industrial hygiene and safety

practice.

Wear suitable protective equipment. Avoid contact with skin, eyes and clothing.

Keep tightly closed.

Protect from contamination.

Conditions for safe storage : Keep tightly closed in a dry, cool and well-ventilated place.

Materials to avoid : Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
lithium 12-hydroxystearate	7620-77-1	TWA (Inhalable fraction)	10 mg/m3	ACGIH
		TWA (Respirable fraction)	3 mg/m3	ACGIH
molybdenum disulphide	1317-33-5	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (Inhalable fraction)	10 mg/m3	ACGIH
		TWA (Respirable fraction)	3 mg/m3	ACGIH
		TWA (Total dust)	10 mg/m3	OSHA P0
		PEL (Total dust)	10 mg/m3	CAL PEL
		PEL (respirable dust fraction)	3 mg/m3	CAL PEL

Engineering measures : Use with adequate ventilation.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally

required.

In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

SAP 6.0 SDS 2012-2 NA GHS 4 / 12 SDS Number: 400000001785



ROYCO 64 MIL-G-21164

Version: 1.8 Revision Date: 07/11/2018 Print Date: 04/02/2020

Hand protection

Remarks : When handling hot material, use heat resistant gloves.

Eye protection : Safety goggles

Skin and body protection : Impervious clothing

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Use only with adequate ventilation. Avoid breathing vapours, mist or gas.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : viscous liquid

Color : dark grey
Odor : mild oily

Odour Threshold : No data available pH : No data available

Melting point/range

No data available

Boiling point/boiling range : No data available Evaporation rate : No data available

Flash point : > 190 °C

Method: open cup

Auto-flammability : No data available
Upper explosion limit : No data available
Lower explosion limit : No data available
Vapour pressure : Not applicable
Relative vapour density : No data available
Relative density : No data available
Density : 0.9 - 0.95 g/cm3

Solubility(ies)

Water solubility : negligible
Solubility in other solvents : partly soluble

Partition coefficient: n-

octanol/water

: No data available

SAP 6.0 SDS 2012-2 NA GHS 5 / 12 SDS Number: 400000001785



ROYCO 64 MIL-G-21164

Version: 1.8 Revision Date: 07/11/2018 Print Date: 04/02/2020

Auto-ignition temperature : not determined

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : No data available Viscosity, kinematic : No data available

Molecular weight : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous

Conditions to avoid

reactions

: Hazardous polymerisation does not occur.

: Exposure to moisture Contamination

Incompatible materials : Strong oxidizing agents

Hazardous decomposition

products

: Oxides of calcium Sulphur oxides

Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

NJTS-46728100000-0001:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

SAP 6.0 SDS 2012-2 NA GHS 6 / 12 SDS Number: 400000001785



ROYCO 64 MIL-G-21164

Version: 1.8 Revision Date: 07/11/2018 Print Date: 04/02/2020

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Components:

NJTS-46728100000-0001:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Serious eye damage/eye irritation

Components:

NJTS-46728100000-0001:

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Respiratory or skin sensitisation

Components:

NJTS-46728100000-0001:

Species: Guinea pig

Assessment: Did not cause sensitisation on laboratory animals.

Method: OECD Test Guideline 406

Germ cell mutagenicity

Components:

NJTS-46728100000-0001:

Germ cell mutagenicity -

Assessment

: Not mutagenic in Ames Test

Carcinogenicity

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

STOT - repeated exposure

Components:

molybdenum disulphide:

SAP 6.0 SDS 2012-2 NA GHS 7 / 12 SDS Number: 400000001785



ROYCO 64 MIL-G-21164

Version: 1.8 Revision Date: 07/11/2018 Print Date: 04/02/2020

Exposure routes: Oral

Assessment: The substance or mixture is not classified as specific target organ toxicant,

repeated exposure.

Aspiration toxicity

Product:

No aspiration toxicity classification

Further information

Product:

Remarks: No data is available on the product itself.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: No data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: No data is available on the product itself.

Components:

NJTS-46728100000-0001:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 71 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 51 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae : EbC50 (Desmodesmus subspicatus (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Persistence and degradability

Product:

Biodegradability : Result: No data available



ROYCO 64 MIL-G-21164

Version: 1.8 Revision Date: 07/11/2018 Print Date: 04/02/2020

Components:

lithium 12-hydroxystearate:

Biodegradability : aerobic

Inoculum: activated sludge Concentration: 30 mg/l Result: Readily biodegradable.

Biodegradation: 78 % Exposure time: 28 d

NJTS-46728100000-0001:

Biodegradability : Result: According to the results of tests of biodegradability this

product is not readily biodegradable.

Method: CO2 Evolution Test

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

lithium 12-hydroxystearate:

Partition coefficient: n-

octanol/water

log Pow: 2.60

NJTS-46728100000-0001:

Partition coefficient: n-

octanol/water

: log Pow: > 7

Mobility in soil

Product:

Mobility : Remarks: No data available

Other adverse effects

Product:

Results of PBT and vPvB

assessment

This mixture contains no substance considered to be

persistent, bioaccumulating and toxic (PBT).

Additional ecological

information

: No information on ecology is available.

Components:

NJTS-46728100000-0001:

Additional ecological : Harmful to aquatic organisms, may cause long-term adverse

SAP 6.0 SDS 2012-2 NA GHS 9 / 12 SDS Number: 400000001785



ROYCO 64 MIL-G-21164

Version: 1.8 Revision Date: 07/11/2018 Print Date: 04/02/2020

information effects in the aquatic environment.

Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : In accordance with local and national regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA304 Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : No SARA Hazards



ROYCO 64 MIL-G-21164

Version: 1.8 Revision Date: 07/11/2018 Print Date: 04/02/2020

SARA 302 : This material does not contain any components with a section

302 EHS TPQ.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Please note that Section 3 of this document lists only the hazardous components required by the specific country or region hazard communication regulations. The chemical identifiers listed in Section 3 are used globally for hazard communication purposes and may not reflect those used for chemical inventory coverage in a particular country or region. The chemical inventory information given in Section 15 of this document applies to the product as a whole and should be used when evaluating inventory compliance.

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
AICS	On the inventory, or in compliance with the inventory
NZIoC	On the inventory, or in compliance with the inventory
ENCS	On the inventory, or in compliance with the inventory
KECI	On the inventory, or in compliance with the inventory
PICCS	On the inventory, or in compliance with the inventory
IECSC	On the inventory, or in compliance with the inventory
TCSI	On the inventory, or in compliance with the inventory

US.TSCA On TSCA Inventory

SECTION 16. OTHER INFORMATION

Further information

Other Emergency Phone Number

Latin America:	Brazil	+55 113 711 9144
	All other countries	+44 (0) 1235 239 670
Mexico:		+52 555 004 8763

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release



ROYCO 64 MIL-G-21164

Version: 1.8 Revision Date: 07/11/2018 Print Date: 04/02/2020

and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.